Central Bureau for Astronomical Telegrams INTERNATIONAL ASTRONOMICAL UNION

Mailstop 18, Smithsonian Astrophysical Observatory, Cambridge, MA 02138, U.S.A. IAUSUBS@CFA.HARVARD.EDU or FAX 617-495-7231 (subscriptions) CBAT@CFA.HARVARD.EDU (science) URL http://www.cfa.harvard.edu/iau/cbat.html ISSN 0081-0304 Phone 617-495-7440/7244/7444 (for emergency use only)

η CARINAE

A. Damineli, Instituto de Astronomico e Geofísico, Universidade de São Paulo, reports that spectroscopic observations collected at the Southern Astrophysical Research Telescope (La Serena, Chile) by Damineli, J. Steiner, J. H. Groh, and L. Fraga indicate that η Car reached the phase of minimum excitation on Jan. 11, on schedule with the predictions (Damineli et al. 2008, MNRAS 384, 1649). This supports the 2023-day period and the binary nature of the system. The doubly ionized forbidden lines and the narrow components of He I and [N II] lines disappeared from the spectrum. P-Cyg absorption in permitted transitions (He I, H I, and Fe II) became more enhanced. The He II 468.6-nm line, which had been increasing rapidly through 2008 December, has now collapsed abruptly to ~ 300 mÅ, the same level as it was a month before. The radial velocity reached -3204 km/s and seems to be still shifting toward the blue. Such results are corroborated by observations taken at Observatório do Picos dos Dias (Brazil) by M. Teodoro; at the Complejo Astronómico el Leoncito (Argentina) by E. F. Lajuz, F. Gonzalez, and R. Gamen; at the European Southern Observatory 2.2-m telescope by M. Borges Fernandes, C. B. Pereira, C. A. P. C. O. Torres, and M. I. Zevallos Herencia; and at Las Campanas Observatory by N. Morrell. Figures and additional details can be found at the following website URL: www.etacarinae.iag.usp.br.

COMETS C/2008 R8-R12 (SOHO)

Further to IAUC 9006, additional near-sun presumed comets have been found on SOHO website images — all Kreutz sungrazers except for C/2008 R8 (non-group). C/2008 R8 (peak mag \sim 7), C/2008 R9 (mag \sim 7), and 2008 R11 (mag \sim 6.5) were small and stellar in appearance. C/2008 R10 was elongated (mag \sim 5.5) in C3 images, and quite diffuse with a very faint short tail in C2 images. C/2008 R12 was slightly elongated (mag \sim 6–6.5) in C3 images, and diffuse with a very faint, diffuse, short tail in C2 images.

Comet	2008	UT	α_{2000}	δ_{2000}	Inst.	F	MPEC
C/2008 R8	Sept.	3.629	$10^{^{\rm h}}\!46\overset{^{\rm m}}{.}2$	$+6^{\circ}02^{'}$	C2	RK	2008-X24
C/2008 R9		4.904	$10\ 32.1$		C3	$_{ m JR}$	2008-X24
C/2008 R10		7.904	$10\ 38.0$	+ 400	C3/2	RK	2008-X24
C/2008 R11		7.904	$10\ 43.1$	+ 435	$C3^{'}$	BZ	2008-X25
C/2008 R12		11.905	$10\ 54.5$	+ 240	C3/2	BZ	2008-X25
C/2008 R13		14.596	$11\ 16.4$	$+\ 2\ 29$	$C3^{'}$	$_{\mathrm{HS}}$	2008-X25