Circular No. 8771

Central Bureau for Astronomical Telegrams
INTERNATIONAL ASTRONOMICAL UNION
Mailstop 18, Smithsonian Astrophysical Observatory, Cambridge, MA 02138, U.S.A.
IAUSUBS@CFA.HARVARD.EDU or FAX 617-495-7231 (subscriptions)
CBAT@CFA.HARVARD.EDU (science)
URL `http://cfa-www.harvard.edu/iau/cbat.html` ISSN 0081-0304
Phone 617-495-7440/7244/7444 (for emergency use only)

SUPERNOVAE 2006lu–2006mx

Several apparent supernovae have been found on unfiltered CCD images: 2006lv by G. Duszanowicz (Akersberga, Sweden, 0.32-m reflector); 2006mo and 2006mq by N. Joubert, N. Lee, and W. Li (LOSS/KAIT; cf. *IAUC* 8770); 2006mp by T. Puckett and R. Gagliano (0.60-m refl.; cf. *IAUC* 8762); and 2006mr and 2006ms by L. A. G. Monard (cf. *IAUC* 8731).

SN	2006 UT	α_{2000}	δ_{2000}	Mag.	*Offset*
2006lv	Oct. 28.12	$11^h32^m03^s.30$	$+36^\circ42'03''.6$	17.0	$10''$ E, $12''$ N
2006mo	Nov. 1.24	0 46 38.55	+36 19 57.8	18.2	$2''.4$ W, $4''.7$ N
2006mp	Nov. 3.99	17 12 00.20	+46 33 20.8	16.9	$14''.6$ E, $2''.7$ S
2006mq	Oct. 22.56	8 06 12.39	–27 33 45.4	12.7	$16''.6$ E, $124''$ S
2006mr	Nov. 5.76	3 22 42.84	–37 12 28.5	15.6	$14''$ E, $0''.3$ N
2006ms	Nov. 6.74	20 38 20.52	–52 06 55.9	17.3	$2''$ E, $18''$ S

Additional *R*-band magnitudes for 2006lv in UGC 6517, by Duszanowicz unless noted otherwise: 2005 Apr. 5.86 UT, [18.0; 11.86, [18.0; 2006 Nov. 2.10, 16.7; 3.03, 15.8 (image by F. Andersson, 0.90-m reflector, near Uppsala; measurements by J. Warell). SN 2006lv appears to be a type-Ib/c supernova after maximum light (details on *CBET* 722). Additional KAIT magnitudes for 2006mo in MCG +06-02-17: Oct. 20.25, [19.0; Nov. 4.19, 18.2. MCG +06-02-17 and MCG +06-02-16 (UGC 480) are interacting galaxies. SN 2006mo is a type-Ia supernova discovered before maximum (details on *CBET* 722). Additional magnitudes by Puckett for 2006mp in MCG +08-31-29: Oct. 2, 14, and 24, [19.0; Nov. 5.01, 16.7. SN 2006mp is a type-Ia supernova before or at maximum light upon discovery (details on *CBET* 724). Additional KAIT magnitudes for 2006mq in ESO 494-G26: Feb. 24.12, [19.0; Nov. 5.50, 13.2. SN 2006mq is a type-Ia supernova well past maximum light (cf. *CBET* 731). Additional magnitudes for 2006mr in NGC 1316: Sept. 27.128, [17.0; Nov. 6.765, 15.2 $\pm$ 0.2. Note that SN 2006dd in NGC 1316 has position end figures $41^s.62$, $13''.0$ (cf. *IAUC* 8723). SN 2006mr is a type-Ia supernova (details on *CBET* 729). Additional magnitudes for 2006ms in NGC 6935: (Digitized Sky Survey, red), [20.5; 2006 Oct. 12.81, [18.5; Nov. 7.735, 17.4 $\pm$ 0.2.

Also, 23 new supernovae (2006lw–2006mn via ESSENCE, with details on *CBET* 717; 2006mt–2006mx via SDSS II, from J. Frieman, with details on *CBET* 726) of mag 21 or fainter have been reported, all apparently of type Ia except for 2006lz (type II). SN 2006lu (cf. *IAUC* 8770) is a type-Ia supernova, a few days after maximum on Nov. 3 (details on *CBET* 716).

2006 November 10 *Daniel W. E. Green*